

REGULAR TOWN BOARD MEETING

August 20, 2003

Councilman Butler introduced the following Order for adoption; seconded by Councilman Waszkiewicz:

(ORDER NO. 2 OF 2003)

IN THE MATTER OF THE APPLICATION

OF **WHITETAIL** MEADOWS SUBDIVISION

CORPORATION FOR THE ESTABLISHMENT

OF THE **WHITETAIL** MEADOWS STORM

WATER DRAINAGE DISTRICT

WHEREAS, a written Petition for the Establishment of Storm Water Drainage District to be known as the **WHITETAIL MEADOWS STORM WATER DRAINAGE DISTRICT** dated July 28, 2003 has been presented to and filed with the Town board of the Town of New Hartford, Oneida County, New York in due form for the establishment of a Storm Water Drainage District in said Town to be bounded and described as follows:

All that piece of land situate lying and being within the Town of New Hartford, County of Oneida, and State of New York, as shown and depicted on a certain Plat Map, sheets "1" and "2", prepared by Donald D. Ehre, P.E., Edward W. Parry, L.S., dated July 28, 2003, revised August 14, 2003, of the premises known as the **Whitetail** Meadows Subdivision, and being more particularly described as follows:

All that piece, or parcel, of land situate, lying, and being in the Town of New Hartford, County of Oneida and State of New York, as shown on the Plat Map, sheets 1 and 2 of the **Whitetail** Meadows Subdivision as prepared by Edward W. Parry, LS #39835, and being further described as follows:

Beginning at a point, said point being the northwesterly corner of lot 11 as shown on the above-referenced plat map;

Thence; N 54 degrees -20'-23" E, a distance of 1176.84 feet, more or less, to an angle point;

Thence; S 23 degrees -42'-30" E, a distance of 208.04 feet, more or less to an angle point;

Thence; S 09 degrees -14'-30" E, a distance of 103.79 feet, more or less, to an angle point;

Thence; S 30 degrees -51' -30" E, a distance of 182.00 feet, more or less, to an angle point;

Thence; S 72 degrees -48' -00" W, a distance of 62.87 feet, more or less, to an angle point;

Thence; S 04 degrees -08' -00" E, a distance of 98.46 feet, more or less, to an angle point;

Thence; N 84 degrees –36’ –38" E, a distance of 226.89 feet, more or less, to an angle point;

Thence; S 00 degrees –42’ -56" E, a distance of 75.25 feet, more or less, to an angle point;

Thence; S 84 degrees –36’ –38" W, a distance of 116.00 feet, more or less, to an angle point;

Thence; S 57 degrees –16’ –41" W, a distance of 59.00 feet, more or less, to an angle point;

Thence; S 36 degrees –49’ – 43" E, a distance of 131.67 feet, more or less, to an angle point;

Thence; S 31 degrees –08’ – 01" W, a distance of 1041.94 feet, more or less, to an angle point;

Thence; N 35 degrees –39’ –37" E, a distance of 1198.62 feet, more or less, to the point or place of beginning.

Containing 1,044,786.08 square feet, or 23.98 acres, more or less, and being subject to all easements and covenants of record.

WHEREAS, the improvements proposed consist of the installation of storm sewers, detention facilities, catch basins, appurtenances, and a connection point(s) for discharge to the existing New Hartford storm water transportation system within the Town of New Hartford to which the new storm water facilities shall be connected and which transport storm water to the Sauquoit Creek; and

WHEREAS, the facilities proposed to be constructed in the said proposed Storm Water Drainage District as shown on the said July 28, 2003 Plat Map, sheets "1" and "2", as revised accompanying the Petition are to be constructed at the sole expense of the Petitioner; and

NOW, THEREFORE, it is hereby

ORDERED, that a meeting of the Town Board of the Town of New Hartford shall be held in the Community Meeting Room, Butler Memorial Hall in the Village of New Hartford, Oneida County, New York on 3rd day of September, 2003 at 8:00 o’clock in the afternoon of that day to consider the said Petition and to hear all persons interested in the subject thereof concerning the same and for such other action on the part of said Town

Board with relation thereto as may be required by law or be otherwise proper in the premises; and it is further

ORDERED, that a copy of this Order certified by the Town Clerk shall be published and posted as provided by law; and it is further

ORDERED, that this Order be entered in the Minutes of the proceedings of the Board.

The Supervisor polled the Board members who voted as follows:

Councilman Waszkiewicz - Aye

Councilman Woodland - Aye

Councilman Butler - Aye

Councilman Backman - Aye

Supervisor Humphreys - Aye.

The Order was thereafter declared unanimously carried and duly adopted.